

## Cigna Arkansas Prior Authorization Report for 04012018 - 06302018

Ordering Provider Type/Specialty	Diagnosis	Service	Status	Reason for Denial
Facility	F31.9	IN*MH*IP	Denied	Administrative Denial for Lack of Benefits
Facility	F33.9	IN*MH*IP	Denied	Administrative Denial for Lack of Benefits
Facility	F33.2	IN*MH*IP	Denied	Administrative Denial for Lack of Benefits
Facility	F33.2	IN*MH*IP	Approved	N/A
Facility	F33.2	IN*MH*IP	Approved	N/A
Facility	F33.2	IN*MH*IP	Approved	N/A
Facility	F10.20	IN*CD*OPH	Approved	N/A
Facility	F10.20	IN*CD*OPH	Approved	N/A
Facility	F10.20	ON*DTX*IP	Approved	N/A
Facility	F10.20	ON*CD*RES	Approved	N/A
Facility	F10.20	ON*CD*RES	Approved	N/A
Facility	F10.20	912	Approved	N/A
Facility	F10.20	906	Approved	N/A
Facility	F10.20	906	Approved	N/A
Facility	F31.9	912	Approved	N/A
Facility	F31.9	912	Approved	N/A
Facility	F33.2	IN*MH*IP	Approved	N/A
Facility	F33.2	IN*MH*IP	Approved	N/A
Facility	F33.2	IN*MH*IP	Approved	N/A
Facility	F33.2	IN*MH*IP	Approved	N/A
Facility	F33.2	IN*MH*IP	Approved	N/A
Facility	F33.2	IN*MH*IP	Approved	N/A
Facility	F31.9	912	Approved	N/A
Facility	F31.9	912	Approved	N/A
Facility	F10.20	906	Approved	N/A
Facility	F29	IN*MH*IP	Approved	N/A
Facility	F33.2	IN*MH*IP	Approved	N/A
Facility	F33.2	IN*MH*IP	Approved	N/A
Facility	F10.20	IN*CD*RES	Approved	N/A
Facility	F32.9	IN*MH*IP	Approved	N/A
Facility	F32.9	IN*MH*IP	Approved	N/A
Facility	F10.20	912	Approved	N/A
Facility	F10.20	912	Approved	N/A
Facility	F33.2	912	Approved	N/A
Facility	F33.2	912	Approved	N/A
Facility	F32.9	IN*MH*IP	Approved	N/A
Facility	F32.9	IN*MH*IP	Approved	N/A
Facility	F33.2	IN*MH*IP	Approved	N/A
Facility	F33.2	IN*MH*IP	Approved	N/A
Facility	F33.2	IN*MH*IP	Approved	N/A
Facility	F31.4	IN*MH*IP	Approved	N/A

Facility	F31.4	IN*MH*IP	Approved	N/A
Facility	F31.4	IN*MH*IP	Approved	N/A
Facility	F10.20	912	Approved	N/A
Facility	F10.20	912	Approved	N/A
Facility	F10.20	906	Approved	N/A
Facility	F84.0	0368T	Approved	N/A
Facility	F32.2	IN*MH*IP	Approved	N/A
Facility	F32.2	IN*MH*IP	Approved	N/A
Facility	F34.81	ON*MH*RES	Approved	N/A
Facility	F34.81	ON*MH*RES	Approved	N/A
Facility	F33.3	IN*MH*RES	Approved	N/A
Facility	F33.3	IN*MH*RES	Approved	N/A
Facility	F33.3	IN*MH*RES	Approved	N/A
Facility	F33.3	IN*MH*RES	Approved	N/A
Facility	F33.3	IN*MH*IP	Approved	N/A
Facility	F33.4	IN*MH*IP	Approved	N/A
Facility	F33.5	IN*MH*IP	Approved	N/A
Facility	F33.6	IN*MH*IP	Approved	N/A
Facility	F33.7	IN*MH*IP	Approved	N/A
Facility	F33.8	IN*MH*IP	Approved	N/A
Facility	F33.9	IN*MH*IP	Approved	N/A
Facility	F10.20	IN*CD*IP	Approved	N/A
Facility	F10.21	IN*CD*IP	Approved	N/A
Facility	F32.9	IN*MH*IP	Approved	N/A
Facility	F31.9	IN*MH*IP	Approved	N/A
Facility	F10.20	IN*DTX*IP	Approved	N/A
Facility	F33.3	IN*MH*RES	Denied	Not meeting Medical Necessity
MD		90868	Denied	Administrative Denial for Single
	F33.2			Case Agreement
MD	F33.2	90868	Denied	Not meeting Medical Necessity
		95811	Denied	Denied by Medical Director
	R06.83			Review
		95806	Denied	Denied by Medical Director
	R06.83			Review
		95811	Denied	Denied by Medical Director
	R06.83			Review
		95811	Denied	Denied by Medical Director
	R53.83			Review
		95811	Denied	Denied by Medical Director
	G47.33			Review
		95811	Denied	Denied by Medical Director
	G47.33			Review
		95810	Denied	Denied by Medical Director
	R06.83			Review
		95811	Denied	Denied by Medical Director
	G47.33			Review

		95811	Denied	Denied by Medical Director Review
G47.33				
		95806	Denied	Denied by Medical Director Review
G47.30				
		95810	Denied	Denied by Medical Director Review
G47.30				
		95811	Denied	Denied by Medical Director Review
G47.19				
		95811	Denied	Denied by Medical Director Review
G47.30				
		95811	Denied	Denied by Medical Director Review
G47.33				
		95811	Denied	Denied by Medical Director Review
G47.33				
		95810	Denied	Denied by Medical Director Review
R06.83				
		95810	Denied	Denied by Medical Director Review
R06.83				
		95810	Denied	Denied by Medical Director Review
G47.33				
G47.10		95811	Approved	N/A
G47.33		G0399	Approved	N/A
R06.83		95806	Approved	N/A
G47.33		95800	Approved	N/A
G47.10		95810	Approved	N/A
G47.30		G0399	Approved	N/A
G47.30		95806	Approved	N/A
G47.30		G0399	Approved	N/A
R53.83		95806	Approved	N/A
G47.9		G0399	Approved	N/A
R06.83		G0399	Approved	N/A
R06.83		95806	Approved	N/A
R06.83		G0399	Approved	N/A
G47.30		95806	Approved	N/A
R06.83		95806	Approved	N/A
R06.83		95806	Approved	N/A
G47.10		95806	Approved	N/A
G47.19		G0399	Approved	N/A
G47.33		95800	Approved	N/A
G47.33		95806	Approved	N/A
R06.83		95806	Approved	N/A
G47.30		G0399	Approved	N/A
R40.0		G0399	Approved	N/A
R06.83		G0399	Approved	N/A
Facility		0502972	Denied	Denied by Medical Director Review
E0118				
Facility	15830	5393925	Denied	Noncovered Benefit

Facility	15823	3527421	Denied	Noncovered Benefit
Facility	21110	0700665	Denied	Noncovered Benefit
Facility	81211	4727295	Denied	Retroactive Referral
Facility	29873	2349852	Denied	Denied - Med Review List IC
Facility	19318	3527421	Denied	Denied - Med Review List IC
Facility	MDRC	3527421	Denied	Denied - Med Review List IC
Facility	29822	2187515	Denied	Denied - Med Review List IC
Facility		0886914	Denied	Denied - Member held harmless
	64490			
Facility		1390353	Denied	DENIED MEMBER HELD HARMLESS/DELAY IN TREATMENT
	64483			
Facility		0883638	Denied	DENIED MEMBER HELD HARMLESS/FAILURE TO PRECERTIFY
	29873			
Facility	41899	0884793	Approved	N/A
Facility	95810	0884793	Approved	N/A
Facility	J1745	0884793	Approved	N/A
Facility	19300	0553551	Approved	N/A
Facility	29873	2349852	Approved	N/A
Facility	64483	2349852	Approved	N/A
Facility	22846	8706763	Approved	N/A
Facility	C1822	8706763	Approved	N/A
Facility	19355	9987349	Approved	N/A
Facility	20902	9987349	Approved	N/A
Facility	15777	2450391	Approved	N/A
Facility	19318	0885990	Approved	N/A
Facility	MEDI	0885990	Approved	N/A
Facility	15823	7015224	Approved	N/A
Facility	95800	0502972	Approved	N/A
Facility	95806	0502972	Approved	N/A
Facility	95810	0502972	Approved	N/A
Facility	95811	0502972	Approved	N/A
Facility	E0601	0502972	Approved	N/A
Facility	G0399	0502972	Approved	N/A
Facility	64635	0883932	Approved	N/A
Facility	62321	0886914	Approved	N/A
Facility	64490	0886914	Approved	N/A
Facility	MDRC	2282701	Approved	N/A
Facility	MDRC	0842268	Approved	N/A
Facility	33800	0701988	Approved	N/A
Facility	64483	2603270	Approved	N/A
Facility	15777	0702030	Approved	N/A
Facility	19303	0702030	Approved	N/A
Facility	38571	0702030	Approved	N/A
Facility	56632	0702030	Approved	N/A
Facility	63030	0702030	Approved	N/A

Facility	SURC	0702030	Approved	N/A
Facility	95806	4340680	Approved	N/A
Facility	95811	4340680	Approved	N/A
Facility	G0399	4340680	Approved	N/A
Facility	15823	3527421	Approved	N/A
Facility	19303	3527421	Approved	N/A
Facility	19357	3527421	Approved	N/A
Facility	23120	3527421	Approved	N/A
Facility	27570	3527421	Approved	N/A
Facility	29824	3527421	Approved	N/A
Facility	29888	3527421	Approved	N/A
Facility	33249	3527421	Approved	N/A
Facility	34845	3527421	Approved	N/A
Facility	43775	3527421	Approved	N/A
Facility	54161	3527421	Approved	N/A
Facility	63042	3527421	Approved	N/A
Facility	63047	3527421	Approved	N/A
Facility	G0422	3527421	Approved	N/A
Facility	MDRC	3527421	Approved	N/A
Facility	MEDI	3527421	Approved	N/A
Facility	SURC	3527421	Approved	N/A
Facility	29877	4652182	Approved	N/A
Facility	64483	1390353	Approved	N/A
Facility	23700	2187515	Approved	N/A
Facility	29879	2187515	Approved	N/A
Facility	29884	2187515	Approved	N/A
Facility	29888	2187515	Approved	N/A
Facility	MDRC	0702303	Approved	N/A
Facility	95806	2714221	Approved	N/A
Facility	95806	1237853	Approved	N/A
Facility	15777	3599948	Approved	N/A
Facility	19303	3599948	Approved	N/A
Facility	19318	3599948	Approved	N/A
Facility	43644	3599948	Approved	N/A
Facility	49321	3599948	Approved	N/A
Facility	70553	3599948	Approved	N/A
Facility	G0299	3599948	Approved	N/A
Facility	J2505	2860168	Approved	N/A
Facility	MEDI	3599948	Approved	N/A
Facility	SURC	3599948	Approved	N/A
Facility	22845	5334477	Approved	N/A
Facility	L8642	4811510	Approved	N/A
Facility	67904	0811628	Approved	N/A
Facility	J2323	6400852	Approved	N/A
Facility	49020	0886137	Approved	N/A
Facility	25575	0886557	Approved	N/A
Facility	29881	0886557	Approved	N/A

Facility	19380	0885528	Approved	N/A
Facility	27324	0885528	Approved	N/A
Facility	38241	0885528	Approved	N/A
Facility	69930	5128300	Approved	N/A
Provider	21210	7943482	Denied	Noncovered Benefit
Provider	J3490	0881020	Denied	Retroactive Referral
Provider	27096	2372974	Denied	Denied - Med Review List IC
Provider	21127	1642669	Denied	Denied - Med Review List IC
Provider	62323	2603270	Denied	Denied - Med Review List IC
Provider	27096	6185843	Denied	Denied - Med Review List IC
Provider	62321	6185843	Denied	Denied - Med Review List IC
Provider	64635	6185843	Denied	Denied - Med Review List IC
Provider	81401	4328107	Approved	N/A
Provider	64635	7307877	Approved	N/A
Provider	J9267	8078532	Approved	N/A
Provider	S9988	6067273	Approved	N/A
Provider	64635	4200296	Approved	N/A
Provider	62323	4842070	Approved	N/A
Provider	J1439	1526050	Approved	N/A
Provider	J7325	2667133	Approved	N/A
Provider	36471	2918650	Approved	N/A
Provider	J9035	2220022	Approved	N/A
Provider	91200	5175843	Approved	N/A
Provider	J1459	4824958	Approved	N/A
Provider	27096	6185843	Approved	N/A
Provider	62321	6185843	Approved	N/A
Provider	62323	6185843	Approved	N/A
Provider	64483	6185843	Approved	N/A
Provider	64493	6185843	Approved	N/A
Provider	64635	6185843	Approved	N/A
		72141	Denied	Denied by Medical Director Review
M54.12				
		73721	Denied	Denied by Medical Director Review
M16.0				
		73721	Denied	Denied by Medical Director Review
M16.0				
		73721	Denied	Denied by Medical Director Review
M25.562				
		72148	Denied	Denied by Medical Director Review
M54.16				
		70553	Denied	Denied by Medical Director Review
C34.90				
		73721	Denied	Denied by Medical Director Review
S76.302A				
		73721	Denied	Denied by Medical Director Review

	27096	Denied	Denied by Medical Director Review
M46.1			
R07.89	78452	Approved	N/A
C34.90	71260	Approved	N/A
M54.16	72148	Approved	N/A
M17.12	29874	Approved	N/A
M54.12	62321	Approved	N/A
R10.33	74177	Approved	N/A
R31.0	74178	Approved	N/A
Z72.0	G0297	Approved	N/A
I20.0	78452	Approved	N/A
	71260	Denied	Denied by Medical Director Review
C50.911			
	72141	Denied	Denied by Medical Director Review
G89.29			
	70553	Denied	Denied by Medical Director Review
F03.90			
	72132	Denied	Denied by Medical Director Review
M54.16			
	70492	Denied	Denied by Medical Director Review
R22.1			
	93351	Denied	Denied by Medical Director Review
R07.9			
	72148	Denied	Denied by Medical Director Review
M54.9			
	76498	Denied	Denied by Medical Director Review
D36.13			
	73220	Denied	Denied by Medical Director Review
M65.842			
	73700	Denied	Denied by Medical Director Review
M19.172			
	73700	Denied	Denied by Medical Director Review
M19.172			
	73221	Denied	Denied by Medical Director Review
M25.511			
	73223	Denied	Denied by Medical Director Review
M65.832			
	70553	Denied	Denied by Medical Director Review
R20.2			
	72131	Denied	Denied by Medical Director Review
M54.9			
	27447	Denied	Denied by Medical Director Review
M17.12			
	72141	Denied	Denied by Medical Director Review
M54.2			
	73721	Denied	Denied by Medical Director Review
G89.29			

M54.5	72158	Denied	Denied by Medical Director Review
R41.3	70553	Denied	Denied by Medical Director Review
G95.9	72141	Denied	Denied by Medical Director Review
C49.9	71260	Denied	Denied by Medical Director Review
M51.26	72148	Denied	Denied by Medical Director Review
C34.11	78815	Denied	Denied by Medical Director Review
C34.11	78815	Denied	Denied by Medical Director Review
M54.2	72141	Denied	Denied by Medical Director Review
K76.89	74178	Denied	Denied by Medical Director Review
M25.572	73721	Denied	Denied by Medical Director Review
R51	70544	Denied	Denied by Medical Director Review
R07.89	75574	Denied	Denied by Medical Director Review
S83.241A	73721	Denied	Denied by Medical Director Review
M25.511	73221	Denied	Denied by Medical Director Review
M50.30	72141	Denied	Denied by Medical Director Review
M54.12	72141	Denied	Denied by Medical Director Review
M54.16	72148	Denied	Denied by Medical Director Review
M25.551	73721	Denied	Denied by Medical Director Review
M54.16	72158	Denied	Denied by Medical Director Review
R26.9	72131	Denied	Denied by Medical Director Review
G90.01	70544	Denied	Denied by Medical Director Review
R07.9	93351	Denied	Denied by Medical Director Review
M25.511	73221	Denied	Denied by Medical Director Review



K76.89	74170	Denied	Denied by Medical Director Review
M25.551	73722	Denied	Denied by Medical Director Review
G43.009	70553	Denied	Denied by Medical Director Review
M25.511	73221	Denied	Denied by Medical Director Review
S15.002D	70496	Denied	Denied by Medical Director Review
M25.561	73721	Denied	Denied by Medical Director Review
D47.3	74178	Denied	Denied by Medical Director Review
D47.3	74178	Denied	Denied by Medical Director Review
M54.16	72158	Denied	Denied by Medical Director Review
M54.10	72148	Denied	Denied by Medical Director Review
M54.12	72156	Denied	Denied by Medical Director Review
S83.231D	29877	Denied	Denied by Medical Director Review
M54.12	72141	Denied	Denied by Medical Director Review
R51	70553	Denied	Denied by Medical Director Review
M54.12	62321	Denied	Denied by Medical Director Review
C90.00	71550	Denied	Denied by Medical Director Review
R93.8	72196	Denied	Denied by Medical Director Review
R91.1	71260	Denied	Denied by Medical Director Review
R26.89	70551	Denied	Denied by Medical Director Review
R05	71270	Denied	Denied by Medical Director Review
M75.02	29806	Denied	Denied by Medical Director Review
J18.9	71250	Denied	Denied by Medical Director Review
M16.11	73700	Denied	Denied by Medical Director Review

J18.9	71250	Denied	Denied by Medical Director Review
R41.3	70553	Denied	Denied by Medical Director Review
H44.9	71250	Denied	Denied by Medical Director Review
I10	93350	Denied	Denied by Medical Director Review
M25.512	73221	Denied	Denied by Medical Director Review
G61.0	70450	Denied	Denied by Medical Director Review
M54.16	72148	Denied	Denied by Medical Director Review
M25.511	73221	Denied	Denied by Medical Director Review
L40.50	72141	Denied	Denied by Medical Director Review
R10.9	74170	Denied	Denied by Medical Director Review
I34.8	78452	Denied	Denied by Medical Director Review
R07.9	93351	Denied	Denied by Medical Director Review
R31.9	74176	Denied	Denied by Medical Director Review
M25.562	73721	Denied	Denied by Medical Director Review
M54.12	72141	Denied	Denied by Medical Director Review
R93.8	73721	Denied	Denied by Medical Director Review
M19.071	73721	Denied	Denied by Medical Director Review
G44.309	70553	Denied	Denied by Medical Director Review
J34.89	70486	Denied	Denied by Medical Director Review
R10.9	74176	Denied	Denied by Medical Director Review
M54.12	70491	Denied	Denied by Medical Director Review
R10.9	74177	Denied	Denied by Medical Director Review
C50.811	71260	Denied	Denied by Medical Director Review

C50.811	71260	Denied	Denied by Medical Director Review
R10.31	74177	Denied	Denied by Medical Director Review
M79.9	23071	Denied	Denied by Medical Director Review
S15.002D	70496	Denied	Denied by Medical Director Review
M17.12	73721	Denied	Denied by Medical Director Review
R07.9	93351	Denied	Denied by Medical Director Review
R03.0	93351	Denied	Denied by Medical Director Review
M54.2	72141	Denied	Denied by Medical Director Review
M23.8X1	73721	Denied	Denied by Medical Director Review
M51.36	72148	Denied	Denied by Medical Director Review
M54.32	62323	Denied	Denied by Medical Director Review
M17.11	27447	Denied	Denied by Medical Director Review
M54.5	72146	Denied	Denied by Medical Director Review
R07.9	93351	Denied	Denied by Medical Director Review
I10	75571	Denied	Denied by Medical Director Review
M17.12	27447	Denied	Denied by Medical Director Review
S93.402A	73722	Denied	Denied by Medical Director Review
J32.8	70486	Denied	Denied by Medical Director Review
R07.9	93351	Denied	Denied by Medical Director Review
M72.2	73718	Denied	Denied by Medical Director Review
R41.3	70551	Denied	Denied by Medical Director Review
M79.651	73706	Denied	Denied by Medical Director Review
R10.12	74176	Denied	Denied by Medical Director Review

R00.0	93351	Denied	Denied by Medical Director Review
I30.9	75561	Denied	Denied by Medical Director Review
I30.9	75561	Denied	Denied by Medical Director Review
E26.09	74150	Denied	Denied by Medical Director Review
Q66.89	73700	Denied	Denied by Medical Director Review
M54.12	72141	Denied	Denied by Medical Director Review
G45.9	93351	Denied	Denied by Medical Director Review
R10.9	74176	Denied	Denied by Medical Director Review
R41.3	70553	Denied	Denied by Medical Director Review
G12.9	62322	Denied	Denied by Medical Director Review
M54.6	72146	Denied	Denied by Medical Director Review
Z85.048	71260	Denied	Denied by Medical Director Review
Z85.048	71260	Denied	Denied by Medical Director Review
M54.12	72141	Denied	Denied by Medical Director Review
R31.9	74177	Denied	Denied by Medical Director Review
M54.42	72148	Denied	Denied by Medical Director Review
M47.26	62323	Denied	Denied by Medical Director Review
N20.0	74177	Denied	Denied by Medical Director Review
M25.561	73721	Denied	Denied by Medical Director Review
N28.89	74170	Denied	Denied by Medical Director Review
K44.9	71260	Denied	Denied by Medical Director Review
C43.59	70553	Denied	Denied by Medical Director Review
M54.12	72141	Approved	N/A
M54.12	72141	Approved	N/A
I71.4	74174	Approved	N/A

M54.5	72148	Approved	N/A
N20.0	74176	Approved	N/A
R94.39	93458	Approved	N/A
R07.9	93351	Approved	N/A
M54.16	72148	Approved	N/A
J32.9	70486	Approved	N/A
J32.9	70486	Approved	N/A
R06.02	93350	Approved	N/A
G43.909	70553	Approved	N/A
M51.36	64493	Approved	N/A
M54.9	72148	Approved	N/A
K75.0	74177	Approved	N/A
C20	71260	Approved	N/A
R07.9	93351	Approved	N/A
M25.512	73221	Approved	N/A
M72.2	73718	Approved	N/A
M47.897	64493	Approved	N/A
H53.8	70553	Approved	N/A
S06.0X9A	70450	Approved	N/A
M51.34	72146	Approved	N/A
M25.512	73221	Approved	N/A
C56.1	71260	Approved	N/A
R31.9	74178	Approved	N/A
R07.9	78452	Approved	N/A
C64.2	71260	Approved	N/A
I48.91	78452	Approved	N/A
M47.816	64635	Approved	N/A
I71.2	71250	Approved	N/A
C92.11	74183	Approved	N/A
C92.11	74183	Approved	N/A
M25.562	73721	Approved	N/A
G45.9	70553	Approved	N/A
M75.102	73221	Approved	N/A
M75.101	73221	Approved	N/A
G43.909	70450	Approved	N/A
M54.5	72148	Approved	N/A
I20.0	93458	Approved	N/A
M25.551	73721	Approved	N/A
C49.12	73220	Approved	N/A
S83.512A	73721	Approved	N/A
R91.1	71250	Approved	N/A
M25.521	73221	Approved	N/A
R43.0	70450	Approved	N/A
M25.511	73221	Approved	N/A
N20.0	74176	Approved	N/A
R10.9	74178	Approved	N/A
S83.412A	73721	Approved	N/A

R94.39	93458	Approved	N/A
M25.572	73700	Approved	N/A
I10	93350	Approved	N/A
R10.9	74177	Approved	N/A
C79.31	70553	Approved	N/A
R51	70553	Approved	N/A
R07.9	93351	Approved	N/A
M25.832	73221	Approved	N/A
M25.832	73221	Approved	N/A
Z87.442	74176	Approved	N/A
C34.91	78452	Approved	N/A
K65.1	74177	Approved	N/A
J30.9	70486	Approved	N/A
I44.0	93350	Approved	N/A
I44.0	93350	Approved	N/A
M65.872	73721	Approved	N/A
C56.9	71260	Approved	N/A
I20.8	93351	Approved	N/A
M47.897	64635	Approved	N/A
M25.511	73221	Approved	N/A
G43.519	70553	Approved	N/A
G43.519	70553	Approved	N/A
S83.282A	73721	Approved	N/A
I25.10	93459	Approved	N/A
J32.4	70486	Approved	N/A
R26.89	70553	Approved	N/A
M47.816	64635	Approved	N/A
R06.02	78452	Approved	N/A
R55	70553	Approved	N/A
D48.1	74183	Approved	N/A
D48.1	74183	Approved	N/A
G44.209	70551	Approved	N/A
C50.911	71260	Approved	N/A
N20.0	74176	Approved	N/A
R94.5	71260	Approved	N/A
R91.1	71250	Approved	N/A
C45.9	71260	Approved	N/A
C45.9	71260	Approved	N/A
R53.81	93351	Approved	N/A
R93.8	71260	Approved	N/A
R55	70551	Approved	N/A
R10.84	74177	Approved	N/A
M54.16	64483	Approved	N/A
M25.511	73221	Approved	N/A
C61	71260	Approved	N/A
C64.2	72157	Approved	N/A
C50.811	71260	Approved	N/A

C50.811	71260	Approved	N/A
R06.02	71275	Approved	N/A
M25.561	73721	Approved	N/A
M25.511	73221	Approved	N/A
R91.8	71250	Approved	N/A
S46.211D	23430	Approved	N/A
S83.221A	73721	Approved	N/A
R31.29	74178	Approved	N/A
R31.29	74176	Approved	N/A
G60.9	72131	Approved	N/A
R93.8	71250	Approved	N/A
R10.84	74177	Approved	N/A
M54.16	72148	Approved	N/A
M25.512	73221	Approved	N/A
R06.02	93350	Approved	N/A
R00.2	93350	Approved	N/A
C43.59	70553	Approved	N/A
E04.1	70491	Approved	N/A
M25.562	73721	Approved	N/A
I25.10	93351	Approved	N/A
D21.9	72193	Approved	N/A
M25.511	73221	Approved	N/A
C20	71260	Approved	N/A
M54.12	72141	Approved	N/A
B37.6	74170	Approved	N/A
M54.5	72148	Approved	N/A
R51	70553	Approved	N/A
C34.92	78815	Approved	N/A
M25.561	73721	Approved	N/A
R10.11	74178	Approved	N/A
M54.9	71250	Approved	N/A
R10.9	74176	Approved	N/A
S46.012A	73221	Approved	N/A
R07.9	93458	Approved	N/A
R97.20	72197	Approved	N/A
R97.20	72197	Approved	N/A
H66.21	70480	Approved	N/A
Z80.3	77059	Approved	N/A
H66.21	70480	Approved	N/A
R07.9	93458	Approved	N/A
M95.2	70450	Approved	N/A
R07.9	93350	Approved	N/A
M54.16	62323	Approved	N/A
N20.0	74176	Approved	N/A
N94.9	72197	Approved	N/A
N94.9	72197	Approved	N/A
N23	74176	Approved	N/A

R31.9	74176	Approved	N/A
R51	70553	Approved	N/A
M47.816	64493	Approved	N/A
M25.512	73222	Approved	N/A
R41.81	70450	Approved	N/A
M54.12	72141	Approved	N/A
R06.02	71275	Approved	N/A
I77.4	74174	Approved	N/A
M25.512	23412	Approved	N/A
R22.1	70491	Approved	N/A
M75.41	29824	Approved	N/A
M17.12	27447	Approved	N/A
M54.9	72148	Approved	N/A
M54.40	72148	Approved	N/A
M54.9	64493	Approved	N/A
M94.9	27412	Approved	N/A
R51	70450	Approved	N/A
D49.2	73223	Approved	N/A
R07.9	93458	Approved	N/A
I10	93458	Approved	N/A
G43.801	70553	Approved	N/A
Z12.39	77059	Approved	N/A
Z12.39	77059	Approved	N/A
Z12.39	77059	Approved	N/A
Z12.39	77059	Approved	N/A
R10.9	74160	Approved	N/A
R16.1	74177	Approved	N/A
R16.1	74177	Approved	N/A
R51	70450	Approved	N/A
R07.2	78452	Approved	N/A
M50.10	62321	Approved	N/A
D49.2	72197	Approved	N/A
B18.1	74183	Approved	N/A
N63.10	71551	Approved	N/A
H53.9	70553	Approved	N/A
R50.82	74177	Approved	N/A
M47.28	64479	Approved	N/A
M54.12	72156	Approved	N/A
I10	78452	Approved	N/A
M25.561	73721	Approved	N/A
R06.02	93351	Approved	N/A
S83.206A	29880	Approved	N/A
Z86.73	70549	Approved	N/A
R07.9	78452	Approved	N/A
R06.02	93458	Approved	N/A
M54.16	64493	Approved	N/A
M17.12	73721	Approved	N/A



D44.3	70553	Approved	N/A
D44.3	70553	Approved	N/A
N64.59	77059	Approved	N/A
S83.232A	29881	Approved	N/A
R91.1	71260	Approved	N/A
D49.0	74177	Approved	N/A
D49.0	74177	Approved	N/A
R10.9	74176	Approved	N/A
M54.42	72158	Approved	N/A
S46.012A	29824	Approved	N/A
Q21.0	76377	Approved	N/A
D48.5	27043	Approved	N/A
S89.92XA	73721	Approved	N/A
G52.9	64490	Approved	N/A
M25.572	73721	Approved	N/A
M17.0	27447	Approved	N/A
T84.018S	27134	Approved	N/A
R07.9	93351	Approved	N/A
G25.2	70553	Approved	N/A
R10.31	74177	Approved	N/A
J98.4	78815	Approved	N/A
R10.9	74177	Approved	N/A
R91.8	71260	Approved	N/A
M54.17	64483	Approved	N/A
R42	70553	Approved	N/A
R10.84	74177	Approved	N/A
M23.203	73721	Approved	N/A
C19	71260	Approved	N/A
M47.896	64493	Approved	N/A
K57.32	74177	Approved	N/A
G57.71	72148	Approved	N/A
R20.2	70450	Approved	N/A
G40.909	70553	Approved	N/A
N20.0	74176	Approved	N/A
C49.9	71260	Approved	N/A
M54.2	72141	Approved	N/A
H53.8	70450	Approved	N/A
S43.431A	73221	Approved	N/A
K50.80	74183	Approved	N/A
K50.80	74183	Approved	N/A
R26.89	70553	Approved	N/A
R31.0	74176	Approved	N/A
R06.02	71275	Approved	N/A
R07.81	93458	Approved	N/A
M47.26	70551	Approved	N/A
S83.512D	29888	Approved	N/A
R10.9	74177	Approved	N/A

M23.203	29881	Approved	N/A
G43.909	70450	Approved	N/A
J32.9	70486	Approved	N/A
J32.9	70486	Approved	N/A
G35	70553	Approved	N/A
M75.41	23130	Approved	N/A
G43.709	70553	Approved	N/A
R00.2	78452	Approved	N/A
D13.4	74183	Approved	N/A
M54.12	62321	Approved	N/A
M22.42	29875	Approved	N/A
J32.9	70486	Approved	N/A
J32.9	70486	Approved	N/A
G35	70553	Approved	N/A
M54.16	72148	Approved	N/A
R91.1	71250	Approved	N/A
G45.9	70553	Approved	N/A
M54.16	64483	Approved	N/A
M54.5	72146	Approved	N/A
N20.0	74176	Approved	N/A
M79.9	23071	Approved	N/A
N20.0	74176	Approved	N/A
M23.90	73721	Approved	N/A
Z12.89	G0297	Approved	N/A
R92.2	77059	Approved	N/A
G44.82	70544	Approved	N/A
C90.00	73718	Approved	N/A
R10.31	74177	Approved	N/A
J32.0	70486	Approved	N/A
M53.3	27096	Approved	N/A
M19.172	23460	Approved	N/A
M19.172	23460	Approved	N/A
C43.59	71260	Approved	N/A
D35.2	70553	Approved	N/A
M43.02	72141	Approved	N/A
S83.512A	29888	Approved	N/A
	J3490	Denied	Denied by Medical Director Review
257.2		Denied	Denied by Medical Director Review
J45.901		Denied	Denied by Medical Director Review
	J3535	Denied	Denied by Medical Director Review
J45.991		Denied	Denied by Medical Director Review
K59.00		Denied	Denied by Medical Director Review
	J7321	Denied	Denied by Medical Director Review
M17.0			

N52.9	J8499	Denied	Denied by Medical Director Review
J44.1		Denied	Denied by Medical Director Review
F90.9		Denied	Denied by Medical Director Review
N52.31		Denied	Denied by Medical Director Review
M81.0	J0897	Denied	Denied by Medical Director Review
F90.9		Denied	Denied by Medical Director Review
E11.65	J1815	Denied	Denied by Medical Director Review
E11.9		Denied	Denied by Medical Director Review
R05		Denied	Denied by Medical Director Review
F90.9		Denied	Denied by Medical Director Review
E11.65		Denied	Denied by Medical Director Review
F90.9		Denied	Denied by Medical Director Review
B18.2	J8499	Denied	Denied by Medical Director Review
L03.90		Denied	Denied by Medical Director Review
E11.9		Denied	Denied by Medical Director Review
N52.9	J8499	Denied	Denied by Medical Director Review
N52.31	J8499	Denied	Denied by Medical Director Review
K51.90	J3380	Denied	Denied by Medical Director Review
M17.0		Denied	Denied by Medical Director Review
N52	J8499	Denied	Denied by Medical Director Review
M06.89	C9399	Denied	Denied by Medical Director Review
L40.0	C9399	Denied	Denied by Medical Director Review
L40.0	J3357	Denied	Denied by Medical Director Review

E11.65		Denied	Denied by Medical Director Review
R68	J1950	Denied	Denied by Medical Director Review
E11.9		Denied	Denied by Medical Director Review
E34.9	C9399	Denied	Denied by Medical Director Review
F90.2		Denied	Denied by Medical Director Review
L40.0	J0717	Denied	Denied by Medical Director Review
C61	J8499	Denied	Denied by Medical Director Review
R62.52	J2941	Denied	Denied by Medical Director Review
E11.65		Denied	Denied by Medical Director Review
L40.0	J8499	Denied	Denied by Medical Director Review
L40.59	J8499	Denied	Denied by Medical Director Review
K50.9	J0717	Denied	Denied by Medical Director Review
F52.21		Denied	Denied by Medical Director Review
E34.9		Denied	Denied by Medical Director Review
N32.81	J8499	Denied	Denied by Medical Director Review
N40.1		Denied	Denied by Medical Director Review
F90.2		Denied	Denied by Medical Director Review
F90.0	J8499	Denied	Denied by Medical Director Review
N52.2		Denied	Denied by Medical Director Review
G43.009		Denied	Denied by Medical Director Review
R19.4		Denied	Denied by Medical Director Review
J45.20	J3535	Denied	Denied by Medical Director Review
R35.0		Denied	Denied by Medical Director Review

G43.711	J0585	Denied	Denied by Medical Director Review
N52.9	J8499	Denied	Denied by Medical Director Review
M32.9	J0490	Denied	Denied by Medical Director Review
F52.21		Denied	Denied by Medical Director Review
Z78.9		Denied	Denied by Medical Director Review
R35.0		Denied	Denied by Medical Director Review
F90.2		Denied	Denied by Medical Director Review
E11.65	C9399	Denied	Denied by Medical Director Review
M17.11		Denied	Denied by Medical Director Review
N52.2	J8499	Denied	Denied by Medical Director Review
D83.9	90283	Denied	Denied by Medical Director Review
E11.9		Denied	Denied by Medical Director Review
E29.1	J3490	Denied	Denied by Medical Director Review
G47.41	J8499	Denied	Denied by Medical Director Review
G35	J1595	Denied	Denied by Medical Director Review
L70.0	J8499	Denied	Denied by Medical Director Review
R68.89	J1595	Denied	Denied by Medical Director Review
G35	J1595	Denied	Denied by Medical Director Review
M17.11	J7323	Denied	Denied by Medical Director Review
G35		Denied	Denied by Medical Director Review
G35		Denied	Denied by Medical Director Review
C7A.012	A9699	Denied	Denied by Medical Director Review
R40.0	J8499	Denied	Denied by Medical Director Review

N52.9		Denied	Denied by Medical Director Review
N97.9		Denied	Denied by Medical Director Review
R68.89	J3490	Denied	Denied by Medical Director Review
B35.1		Denied	Denied by Medical Director Review
E29.1	J0725	Denied	Denied by Medical Director Review
F90.0		Denied	Denied by Medical Director Review
M05.79	J9310	Denied	Denied by Medical Director Review
M17.11	J7328	Denied	Denied by Medical Director Review
D86.0	J0800	Denied	Denied by Medical Director Review
F52.21		Denied	Denied by Medical Director Review
I10		Denied	Denied by Medical Director Review
J45.40	J2182	Denied	Denied by Medical Director Review
E11.65	C9399	Denied	Denied by Medical Director Review
E11.9		Denied	Denied by Medical Director Review
D64.9	J0885	Denied	Denied by Medical Director Review
K51.90		Denied	Denied by Medical Director Review
I25.10	J3590	Denied	Denied by Medical Director Review
M81		Denied	Denied by Medical Director Review
G43.7		Denied	Denied by Medical Director Review
M81.0	J0897	Denied	Denied by Medical Director Review
E08	J1815	Denied	Denied by Medical Director Review
L71.9		Denied	Denied by Medical Director Review
L20.9		Denied	Denied by Medical Director Review

B36.0		Denied	Denied by Medical Director Review
G43.009		Denied	Denied by Medical Director Review
M17.11	J7327	Denied	Denied by Medical Director Review
R62.52	J2941	Denied	Denied by Medical Director Review
E11.9		Denied	Denied by Medical Director Review
M54.05		Denied	Denied by Medical Director Review
F52.21		Denied	Denied by Medical Director Review
G35	J1595	Denied	Denied by Medical Director Review
J31.0	J3490	Denied	Denied by Medical Director Review
E10.9		Denied	Denied by Medical Director Review
E11.42		Denied	Denied by Medical Director Review
E11.65		Denied	Denied by Medical Director Review
F52.21		Denied	Denied by Medical Director Review
F90		Denied	Denied by Medical Director Review
E11.42		Denied	Denied by Medical Director Review
J44.9	J3535	Denied	Denied by Medical Director Review
L70.0		Denied	Denied by Medical Director Review
G47.411	J8499	Denied	Denied by Medical Director Review
F90.2		Denied	Denied by Medical Director Review
J45.909		Denied	Denied by Medical Director Review
B44.81	J2182	Denied	Denied by Medical Director Review
F32.9		Approved	N/A
G35	J8499	Approved	N/A
K20.0	J3535	Approved	N/A
K20.0	J3535	Approved	N/A
G47.00	J8499	Approved	N/A

L40.59	J1745	Approved	N/A
M21.371	J0585	Approved	N/A
F33.1		Approved	N/A
L40.0	C9399	Approved	N/A
G47.33		Approved	N/A
I10	C9399	Approved	N/A
K72.90	J8499	Approved	N/A
Z85.46		Approved	N/A
G80.9	J0585	Approved	N/A
F33.1		Approved	N/A
C88.4	J9310	Approved	N/A
L70.8		Approved	N/A
M17.12	J7325	Approved	N/A
J45.30	J3535	Approved	N/A
G35	J8499	Approved	N/A
G35	J2350	Approved	N/A
G61.81	90283	Approved	N/A
G43.719	J0585	Approved	N/A
F90.0		Approved	N/A
R68.89	J8499	Approved	N/A
L40.50	C9399	Approved	N/A
L40.50	C9399	Approved	N/A
Z87.59		Approved	N/A
L20.89	C9399	Approved	N/A
M17.11	J7324	Approved	N/A
E78.5	C9399	Approved	N/A
M17.11	J7324	Approved	N/A
N40.0	J8499	Approved	N/A
G04.00	J9310	Approved	N/A
M81.0		Approved	N/A
G81.11	J0585	Approved	N/A
M17.0	J7327	Approved	N/A
G04.00	J9310	Approved	N/A
N52.9		Approved	N/A
M17.12	J7324	Approved	N/A
G89.3	J8499	Approved	N/A
L70.9		Approved	N/A
G43.709	J0585	Approved	N/A
M06.89	J3590	Approved	N/A
K51.919		Approved	N/A
M17.11	J7324	Approved	N/A
C50.911	C9399	Approved	N/A
R68.89	J1950	Approved	N/A
F11.20	J0574	Approved	N/A
L40.0	J3357	Approved	N/A
L50.1	J2357	Approved	N/A
L40.0	J8499	Approved	N/A



N52.9	J8499	Approved	N/A
D64.81	J0881	Approved	N/A
I25.10	C9399	Approved	N/A
E34.9	C9399	Approved	N/A
C61	C9399	Approved	N/A
L40.0		Approved	N/A
L40.50	J1745	Approved	N/A
F98.8		Approved	N/A
L74.510	J0585	Approved	N/A
K51.919	J1745	Approved	N/A
G47.26		Approved	N/A
M05.79	J1745	Approved	N/A
E11.9	C9399	Approved	N/A
R68.89	J0585	Approved	N/A
M50.30		Approved	N/A
E10.9	A4253	Approved	N/A
K74.60	J8499	Approved	N/A
K51.90	J1745	Approved	N/A
I50.22		Approved	N/A
K50.813	J3357	Approved	N/A
G43.909		Approved	N/A
K51.90	J1745	Approved	N/A
M17.11	J7327	Approved	N/A
K50.80	J0135	Approved	N/A
J45.909	J3535	Approved	N/A
L40.50		Approved	N/A
E75.22	J3385	Approved	N/A
M06.9	J1745	Approved	N/A
E11.9		Approved	N/A
G35	J9310	Approved	N/A
M54.5		Approved	N/A
L70.9		Approved	N/A
N52.03		Approved	N/A
N97.9	J3490	Approved	N/A
L40.8		Approved	N/A
N52.9	J8499	Approved	N/A
M05	J3262	Approved	N/A
F90.2		Approved	N/A
G35		Approved	N/A
L40.0		Approved	N/A
F33.1		Approved	N/A
M47.817		Approved	N/A
L40.0	J1438	Approved	N/A
K50.90	J0135	Approved	N/A
F90.9		Approved	N/A
E11.65		Approved	N/A
E29.1		Approved	N/A

N81.4		Approved	N/A
G43.719	J0585	Approved	N/A
B18.2	J8499	Approved	N/A
F90.0		Approved	N/A
E29.1		Approved	N/A
F17.209	J8499	Approved	N/A
L40.50	J1745	Approved	N/A
N48.6	J0775	Approved	N/A
E70.0	J8499	Approved	N/A
C50.819	J8499	Approved	N/A
C50.911	J0897	Approved	N/A
E11.9		Approved	N/A
M17.11	J7324	Approved	N/A
L20.84	J3490	Approved	N/A
J45.4	J3535	Approved	N/A
F90.9		Approved	N/A
G43.011	J0585	Approved	N/A
F33.9		Approved	N/A
C71.9	J8700	Approved	N/A
G51.3	J0585	Approved	N/A
E70.0	J8499	Approved	N/A
G89.4		Approved	N/A
M25.50	J8499	Approved	N/A
M05.89		Approved	N/A
F98.8		Approved	N/A
M51.36		Approved	N/A
R06.2	J3535	Approved	N/A
M17.0	J7325	Approved	N/A
E29.1	S0189	Approved	N/A
M06.9	J1745	Approved	N/A
G47.33	J8499	Approved	N/A
K50.80	J1745	Approved	N/A
G43.719	J0585	Approved	N/A
M45.9	J0135	Approved	N/A
L40.59	J1438	Approved	N/A
M17.12	J7325	Approved	N/A
M05.79	J9310	Approved	N/A
R52	J8499	Approved	N/A
M25.561		Approved	N/A
F90.2		Approved	N/A
M32.10	J0490	Approved	N/A
K50.00	J0135	Approved	N/A
M54.6		Approved	N/A
M32.9	J0490	Approved	N/A
G47.33		Approved	N/A
F31.9	J8499	Approved	N/A
G35	J1826	Approved	N/A

G35	J1595	Approved	N/A
C88.0		Approved	N/A
F90.0		Approved	N/A
K50.818	J3358	Approved	N/A
G35	J2350	Approved	N/A
M05.79	J9310	Approved	N/A
L40.0	C9399	Approved	N/A
N32.81		Approved	N/A
E78.2		Approved	N/A
K50.919	J0135	Approved	N/A
L57.0	S0117	Approved	N/A
M81.0	J0897	Approved	N/A
L20.89	C9399	Approved	N/A
L40.50		Approved	N/A
G47.33	J8499	Approved	N/A
D89.9	J1561	Approved	N/A
G47.26		Approved	N/A
M06.9	J8499	Approved	N/A
M81.0	J0897	Approved	N/A
J45	J2357	Approved	N/A
L74.513	J0585	Approved	N/A
L40.52	J0135	Approved	N/A
M45.0	J1745	Approved	N/A
G35	J1826	Approved	N/A
M17.12	J7325	Approved	N/A
K29.00		Approved	N/A
K50.118	J1745	Approved	N/A
F98.8		Approved	N/A
G43.711	J3490	Approved	N/A
G35	J1595	Approved	N/A
G43.719	J0585	Approved	N/A
G35	Q3028	Approved	N/A
F90.9		Approved	N/A
G89.28	J8499	Approved	N/A
G47.26		Approved	N/A
C91.10	C9399	Approved	N/A
M15.4	J8499	Approved	N/A
F33.9		Approved	N/A
M17.0	J7325	Approved	N/A
K50.00		Approved	N/A
G89.29		Approved	N/A
M17.12		Approved	N/A
N52.9		Approved	N/A
M46.1		Approved	N/A
G35	Q3028	Approved	N/A
G47.411	J8499	Approved	N/A
Q96.9	J2941	Approved	N/A

E10.65		Approved	N/A
L70.0		Approved	N/A
E11.65		Approved	N/A
G44.209		Approved	N/A
C43.9	J9299	Approved	N/A
M81.0	J0897	Approved	N/A
F41.9	J8499	Approved	N/A
M17.11	J7324	Approved	N/A
M17.32	J7325	Approved	N/A
G70.00		Approved	N/A
G43.719	J0585	Approved	N/A
314.01		Approved	N/A
		Denied	Denied by Medical Director
M99.01			Review
Health Care Professional A41.9		Approved	N/A
Health Care Professional J96.00		Approved	N/A
Health Care Professional K56.609	99218	Approved	N/A
Health Care Professional N62	19318	Approved	N/A
C34.90	CHEMO	Approved	N/A
C55	CHEMO	Approved	N/A
C55	SPORT	Approved	N/A
C55	SPORT	Approved	N/A
C55	SPORT	Approved	N/A
C92.10	CHEMO	Approved	N/A
C64.9	CHEMO	Approved	N/A
C61	SPORT	Approved	N/A
C18.2	CHEMO	Approved	N/A
C18.2	SPORT	Approved	N/A
C56.1	CHEMO	Approved	N/A
C54.1	CHEMO	Approved	N/A
C54.1	SPORT	Approved	N/A
C54.1	SPORT	Approved	N/A
C50.912	CHEMO	Approved	N/A
C54.1	CHEMO	Approved	N/A
C50.911	SPORT	Approved	N/A
C50.811	CHEMO	Approved	N/A
C50.811	SPORT	Approved	N/A
C50.811	SPORT	Approved	N/A
C54.1	SPORT	Approved	N/A
C54.1	SPORT	Approved	N/A
C79.51	RCBONE	Approved	N/A
C50.911	RCBREA	Approved	N/A
D49.2	RCBONE	Approved	N/A
D49.2	RCBONE	Approved	N/A
C50.912	RCBREA	Approved	N/A
C79.89	RCMETS	Approved	N/A